



PRODUCTS

Catalogue



Laboratorios[®]
PharmaVet

PHARMAVET 2018

New laboratory

We have concluded an arduous road of improvements.

The new facilities count with a 1500 square meters productive area, segregated by families of products (general drugs, hormonals and beta lactams).

They include weighing and sampling rooms, also segregated by families of products, and a quality control and microbiological laboratory with last generation equipment.

We want our products to meet the highest quality standards, because we are interested in animal health and welfare.

We are working with and for our clients, starting this new stage.



Business Management

Cullen 966 • S2008HVJ Rosario,
Santa Fe, Argentina
Tel/Fax: (+54 0341) 4568410 / 4574326
info@pharmavet.com.ar
www.pharmavet.com.ar

Laboratory


Campbell 869 • S2008HVJ Rosario,
Santa Fe, Argentina
Tel/Fax: (+54 0341) 4584172
dtecnica@pharmavet.com.ar
www.pharmavet.com.ar




INDEX

LARGE ANIMALS

AMOXICILINA PHARMAVET	2	XILAZINA PHARMAVET	13	CEFALEXINA 600 COMPRIMIDOS PHARMAVET	24
CEFALEXINA PHARMAVET	2	YODURO DE SODIO PHARMAVET	13	ENROFLOXACINA 50 COMPRIMIDOS PHARMAVET	24
CEFTIOFUR PHARMAVET	2	BLOCKTIM ANTIEMASTE	13	ENROFLOXACINA 100 COMPRIMIDOS PHARMAVET	25
ENROVET	2	CLORHEXIDINA PHARMAVET	13	ENROVET ORAL	25
PENICIL ESTREPTO	2	CREMA DE ORDEÑE BRONCE	14	OXIPHARM VITAMINADA	25
PENICIL ESTREPTO LPU	3	PHARMA DESINFLAMANTE	14	TRISULFAVET MULTIVITAMINADO	25
PENICIL ESTREPTO PLUS	3	PHARMAPIETIN	14	PHARMAPRIM OFTÁLMICO	25
PHARMACILINA CIEN	3	CICLOPROST	14	PHARMAPRIM GEL ÓTICO	26
PHARMACILINA L.A.	3	ESTROL	15	LOPERCICLINA 10	26
PHARMACILINA L.A. PLUS	3	ESTROL 1	15	PHARMAPRIM ANTIDIARREICO	26
PHARMAFLOR	4	OVULAN	15	PHARMAPRIM ANTIDIARREICO ORAL	26
PHARMAPRIM	4	OXITOCINA PHARMAVET	15	ANTIPARASITARIO COMPRIMIDOS PHARMAVET	27
PHARMAPRIM L.A.	4	REPRODUCTION 500	15	ANTIPARASITARIO GOTAS PHARMAVET ...	27
TILMICOPHARM 300	4	ADE COMPLEX	16	PIPERAZINA PHARMAVET	27
TILOPHARM	4	VITAMINA B12 100.000 PHARMAVET ...	16	ANTIPARASITARIO EXTERNO PHARMA-AGRO	27
CÁPSULAS x 4	5	CALCIOMAX MAGNESIADO	16	PHARMAPULG PLUS	27
ENROVET ORAL	5	COBREMEX	16	PHARMATICK PET'S	28
OXIPHARM VITAMINADA	5	GLUCOSA HIPERTONICA	16	SHAMPOO ANTIPARASITARIO PHARMA-AGRO	28
TRISULFAVET MULTIVITAMINADO	5	HIERROVET 200	17	ACEPROMACINA PHARMAVET	28
PHARMAPRIM GEL OFTÁLMICO	5	MULTIVITAMIN	17	ATROPINA PHARMAVET	28
CEFALEXINA MASTITIS PHARMAVET	6	PHOSFOVIT	17	BUTORFANOL PHARMAVET	29
CEFALEXINA SECADO PHARMAVET	6	SELENMAX	17	DEXAVET	29
CLOXAMP MASTITIS	6	TRIMAGNESIO PHARMAVET	17	FLUNIXIN PHARMAVET	29
CLOXAMP SECADO	6	FOR EXPORT ONLY		METOCLOPRAMIDA PHARMAVET	29
PHARMAPRIM ANTIDIARREICO	7	IVER 1	19	RANIPHARM	29
PHARMAPRIM ANTIDIARREICO ORAL ...	7	IVER LONG L.A.	19	XILAZINA PHARMAVET	29
BOVITRIST	7	IVER LONG L.A. 3,15 %	19	ACEPROMACINA GOTAS PHARMAVET	30
CLOSANTEL PHARMAVET	7	IVER 315 ADE	19	ARTROFIN	30
IVER 100-D	8	DORAMECTINA PHARMAVET	19	PREDNISOLONA PHARMAVET	30
IVER 2	8	ENROVET L.A.	20	CLORHEXIDINA PHARMAVET	31
IVER 2 MONODOSIS	8	SUPER ENROVET L.A.	20	HONGOFIN	31
IVER 315-D	8	NANDROPLUS ADE	20	IODOPHAR PVP	31
PHARMALEVA 18.2	8	SMALL ANIMALS		SHAMPOO ANTISEBORREICO PHARMAVET	31
RICOPHAR	9	AMOXICILINA PHARMAVET	22	SHAMPOO ANTISÉPTICO PHARMAVET ...	31
FEBENPHARM	9	CEFALEXINA PHARMAVET	22	OXITOCINA PHARMAVET	32
IVER X	9	CEFTIOFUR PHARMAVET	22	SIN CEL INYECTABLE	32
PARA X	9	ENROVET	22	SIN CEL COMPRIMIDOS	32
PIPERAZINA PHARMAVET	9	PENICIL ESTREPTO	22	ADE COMPLEX	32
TRIFASIOVET 5%	10	PENICIL ESTREPTO LPU	23	B 12 100.000 PHARMAVET	33
TRIFASIOVET 10%	10	PENICIL ESTREPTO PLUS	23	CALCIOMAX MAGNESIADO	33
VETALBENDAZOL	10	PHARMAPRIM	23		
BICHOFIN PLATA	10	PHARMAPRIM L.A.	23		
CIPERVET POUR ON	10	AMOXICILINA 250 COMPRIMIDOS PHARMAVET	23		
CYPERTHION	11	AMOXICILINA 500 COMPRIMIDOS PHARMAVET	24		
PHARMATICK	11	CÁPSULAS x 4	24		
PHARMATICK 250	11	CEFALEXINA 300 COMPRIMIDOS PHARMAVET	24		
BUTORFANOL PHARMAVET	11				
DEXAVET	12				
DEXAVET DUO	12				
FLUNIXIN PHARMAVET	12				
FURODEX	12				
RANIPHARM	12				



● ● ● ● ● ● **Large Animals** ● ● ● ● ● ●



INJECTABLE ANTIBIOTICS



AMOXICILINA PHARMAVET

Broad-spectrum injectable antibiotic for cattle and swine.

Composition: Amoxicillin base 15 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 20 mL, 100 mL and 250 mL vials.



CEFALEXINA PHARMAVET

Broad-spectrum injectable antibiotic for cattle.

Composition: Cephalexin monohydrate 18.5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 25 kg bodyweight.

Presentation: 20 mL, 100 mL and 250 mL vials.



CEFTIOFUR PHARMAVET

Broad-spectrum injectable antibiotic for cattle, swine and horses.

Composition: Ceftiofur hydrochloride 5 g; Excipients q.s. 100 mL.

Dosage: Cattle: 1 to 2 mL per 50 kg bodyweight; Swine: 1 mL per 10 to 17 kg bodyweight; Horses: 2 to 4 mL per 50 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



ENROVET

Broad-spectrum injectable antibiotic for cattle, swine and rabbits.

Composition: Enrofloxacin 5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 100 mL and 250 mL vials.



PENICIL ESTREPTO

Broad-spectrum injectable antibiotic for cattle, sheep, swine and horses.

Composition (Powder): Penicillin G sodium; Penicillin G benzathine; Dihydrostreptomycin sulfate.

Composition (Solvent): Lidocaine hydrochloride 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 1,200,000 I.U. , 2,400,000 I.U. and 5,000,000 I.U. vials.

INJECTABLE ANTIBIOTICS



PENICIL ESTREPTO LPU

Broad-spectrum injectable antibiotic for cattle, sheep, swine, horses and goats.

Composition: Penicillin G procaine 20,000,000 I.U.; Streptomycin sulfate 20 g; Excipients q.s. 100 mL.

Dosis: 1 mL per 10 kg bodyweight.

Presentaciones: 20 mL and 100 mL vials.



PENICIL ESTREPTO PLUS

Broad-spectrum injectable antibiotic, for deep intramuscular administration in cattle, sheep, swine and horses.

Composition (Powder): Penicillin G sodium; Penicillin G benzathine; Dihydrostreptomycin sulfate; Dipyrone.

Composition (Solvent): Lidocaine hydrochloride 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 5,000,000 I.U. and 10,000,000 I.U. vials.



PHARMACILINA CIEN

Broad-spectrum injectable antibiotic for cattle, sheep and swine.

Composition: Oxytetracycline hydrochloride 10 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



PHARMACILINA L.A.

Broad-spectrum injectable antibiotic for cattle, sheep, swine and rabbits.

Composition: Oxytetracycline hydrochloride 21.6 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight; In rabbits: 0.25 mL per kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



PHARMACILINA L.A. PLUS

Broad-spectrum injectable antibiotic, analgesic, anti-inflammatory and antipyretic, indicated for use in cattle and swine.

Composition: Oxytetracycline hydrochloride 21.6 g; Diclofenac sodium 2.5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 50 mL and 250 mL vials.

INJECTABLE ANTIBIOTICS



PHARMAFLOR

Broad-spectrum injectable antibiotic for cattle.

Composition: Florfenicol 30 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 15 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



PHARMAPRIM

Broad-spectrum injectable antibiotic for cattle, swine, horses, goats, sheep, and rabbits.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight; In rabbits: 0.1 mL per kg bodyweight.

Presentation: 100 mL and 250 mL vials.



PHARMAPRIM L.A.

Broad-spectrum injectable antibiotic for cattle, swine and horses.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Excipients q.s. 100 mL.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 100 mL and 250 mL vials.



TILMICOPHARM 300

Injectable macrolide antibiotic for cattle.

Composition: Tilmicosin phosphate 30 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 30 kg bodyweight. (For the treatment of Infectious Bovine Keratoconjunctivitis and Necrotic Pododermatitis: 1 mL per 30 to 60 kg bodyweight).

Presentation: 10 mL, 100 mL and 250 mL vials.



TILOPHARM

Injectable macrolide antibiotic for cattle and swine.

Composition: Tylosin tartrate 21.64 g; Excipients q.s. 100 mL.

Dosage: Cattle: 1 mL per 11 to 12 kg bodyweight; Swine: 1 mL per 22 to 23 kg bodyweight.

Presentation: 100 mL and 250 mL vials.

ANTIBIOTICS

FOR ORAL USE



CÁPSULAS x 4

Broad-spectrum oral antibiotic, with Vitamin C, for cattle (calves), horses and swine.

Composition: Oxytetracycline hydrochloride 250 mg; Vitamin C 125 mg; Papain 20 mg; Vitamin E 25 mg; Excipients q.s. 1 capsule.

Dosage: Calves, horses and swine: 1 capsule per 12.5 to 25 kg bodyweight.

Presentation: Box containing 24 blisters (Each blister contains 10 capsules).



ENROVET ORAL

Broad-spectrum oral antibiotic, for swine, rabbits and poultry.

Composition: Enrofloxacin 10 g; Excipients q.s. 100 mL.

Dosage: In drinking water: 0.5 mL per liter. Oral Dose: 0.5 mL per 10 kg bodyweight.

Presentation: 1 L bottles.



OXIPHARM VITAMINADA

Chemotherapeutic, with vitamins, for use in swine, cattle (calves) poultry (broilers, breeder and ornamental birds) and rabbits.

Composition: Oxytetracycline hydrochloride 6 g; Neomycin Sulfate 6 g; Vitamin A (acetate) 250,000 I.U.; Vitamin C 1 g; Vitamin D3 40,000 I.U.; Vitamin E (acetate) 200 I.U.; Excipients q.s. 100 g.

Dosage: Calves: 1 g per 6 kg bodyweight; Swine: 1 g per 3 kg bodyweight; Poultry: 1 g per 2.7 kg bodyweight; Rabbits: 1 g per 1.5 kg bodyweight. For collective treatment: In drinking water: 5 g per liter; In food: 10 g per kg of food ration.

Presentation: 100 g containers.



TRISULFAVET MULTIVITAMINADO

Chemotherapeutic, anticoccidial, with vitamins, indicated for use in swine, cattle (calves) poultry (broilers, breeder and ornamental birds) and rabbits.

Composition: Sulfadimethoxine 25 g; Sulfadimidine 25 g, Sulfaquinoxaline 25 g, Neomycin Sulfate 10 g, Vitamin A (acetate) 250,000 I.U.; Vitamin K3 1 g; Excipients q.s. 100 g

Dosage: Initial dose (Cattle): 100 to 140 mg per kg bodyweight. Maintenance dose: 60 to 80 mg per kg bodyweight. Initial dose (Swine): 100 to 120 mg per kg bodyweight. Maintenance dose: 55 to 60 mg per kg bodyweight. Initial dose (Poultry): 120 mg per kg bodyweight. Maintenance dose: 60 mg per kg bodyweight. Initial dose (Rabbits): 120 to 140 mg per kg bodyweight. Maintenance dose: 60 mg per kg bodyweight. For collective treatment: In drinking water: 1 g per liter; In food: 2 g per kg of food ration.

Presentation: 100 g containers.

FOR EXTERNAL USE



PHARMAPRIM GEL OFTÁLMICO

Collyrium, chemotherapeutic, indicated for use in cattle and horses.

Composition: Sulfadimidine 25 g; Trimethoprim 5 g; Vitamin A 250,000 I.U.; Phenylephrine 0.05 g; Lidocaine hydrochloride 1 g; Bromhexine 0.1 g; Gential violet 0.1 g; Benzalkonium chloride 0.005 g; Excipients q.s. 100 g

Dosage: 1 mL per application.

Presentation: Trigger spray bottles containing 200 mL.

ANTIBIOTICS

INTRAMAMMARY



CEFALEXINA MASTITIS PHARMAVET

Intramammary antibiotic used for the treatment of udder infection in bovine, during lactation.

Composition: Cephalexin monohydrate 100 mg; Dexamethasone sodium phosphate 0.5 mg; Excipients q.s. 5 g

Dosage: 5 g per application.

Presentation: Box containing 20 syringes (Each syringe contains 5 g).



CEFALEXINA SECADO PHARMAVET

Intramammary antibiotic used for the treatment of udder infection in bovine, during the dry period.

Composition: Cephalexin monohydrate 150 mg; Excipients q.s. 5 g

Dosage: 5 g per application.

Presentation: Box containing 20 syringes (Each syringe contains 5 g).



CLOXAMP MASTITIS

Intramammary antibiotic used for the treatment of mastitis in bovine, during lactation.

Composition: Cloxacillin sodium 200 mg; Ampicillin sodium 100 mg; Excipients q.s. 5 g

Dosage: 5 g per quarter.

Presentation: Box containing 20 syringes (Each syringe contains 5 g).



CLOXAMP SECADO

Intramammary antibiotic used for the treatment of mastitis in bovine, during the dry period.

Composition: Cloxacillin benzathine 500 mg; Ampicillin trihydrate 250 mg; Excipients q.s. 5 g.

Dosage: 5 g per quarter.

Presentation: Box containing 20 syringes (Each syringe contains 5 g).

ANTI-DIARRHEAL

INJECTABLE ANTI-DIARRHEAL ANTIBIOTICS



PHARMAPRIM ANTIDIARREICO

Broad-spectrum antibiotic, antidiarrheal for cattle, swine and horses.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Loperamide hydrochloride 0.04 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 100 mL and 250 mL vials.

ORAL ANTI-DIARRHEAL ANTIBIOTICS



PHARMAPRIM ANTIDIARREICO ORAL

Oral Anti-Diarrheal Antibiotic, bactericide, for horses (foals).

Composition: Sulfamethazine sodium 2.5 g; Trimethoprim 0.5 g; Neomycin Sulfate 0.5 g; Loperamide 0.008 g; Excipients q.s. 100 mL.

Dosage: Foals 50 to 200 mL per animal per day.

Presentation: 100 mL, 500 mL and 1 L bottles.

INJECTABLE ANTIPARASITICS



BOVITRIST

Injectable anti-piroplasm agent, with vitamins, for cattle.

Composition: Diminazene diacetate 7 g; Cyanocobalamin 0.004 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 20 kg bodyweight.

Presentation: 50 mL vials.



CLOSANTEL PHARMAVET

Internal antiparasitic, for cattle and sheep.

Composition: Closantel 10 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 20 kg bodyweight.

Presentation: 500 mL vials.

INJECTABLE ANTIPARASITICS



IVER 100-D

Long-acting injectable endectocide, indicated for use in cattle, for the treatment of internal parasites and cattle tick.

Composition: Ivermectin 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



IVER 2

Broad-spectrum injectable endectocide.

Composition: Ivermectin 2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 100 kg bodyweight.

Presentation: 5 mL, 50 mL, 100 mL, 250 mL and 500 mL vials.



IVER 2 MONODOSIS

Broad-spectrum injectable endectocide.

Composition: Ivermectin 2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 100 kg bodyweight.

Presentation: Box containing 5 mL vial and syringe with needle.



IVER 315-D

Long-acting injectable endectocide, indicated for use in cattle, for the treatment of internal parasites, scabies mites and cattle tick.

Composition: Ivermectin 3.15 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



PHARMALEVA 18.2

Broad-spectrum internal antiparasitic, for cattle, sheep and swine.

Composition: Levamisole Hydrochloride 18.2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 25 kg bodyweight.

Presentation: 100 mL, 250 mL and 500 mL vials.

INJECTABLE ANTIPARASITICS



RICOPHAR

Internal antiparasitic, indicated for use in cattle, for the control of lung and gastrointestinal parasites.

Composition: Albendazole sulfoxide 20 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight. For inhibited Ostertagia 1 mL per 25 kg bodyweight

Presentation: 100 mL and 500 mL vials.

FOR ORAL USE



FEBENPHARM

Broad-spectrum internal antiparasitic, for oral administration, indicated for use in cattle, sheep and goats.

Composition: Febendazole 10 g; Excipients q.s. 100 mL.

Dosage: Cattle: 1 mL per 20 kg bodyweight (In cases of inhibited Ostertagia, 1.5 mL per 20 kg bodyweight). Sheep and goats: 2 mL per 40 kg bodyweight (In cases of Moniezia, 4 mL per 40 kg bodyweight).

Presentation: 250 mL, 1 L and 5 L bottles.



IVER X

Broad-spectrum internal antiparasitic, for oral administration, indicated for use in horses.

Composition: Ivermectin 1.84 g; Excipients q.s. 100 g.

Dosage: 1.085 g per 100 kg bodyweight.

Presentation: Syringes containing 6.5 g.



PARA X

Broad-spectrum internal antiparasitic, for oral administration, indicated for use in horses.

Composition: Mebendazole 11 g; Trichlorfon 48 g; Excipients q.s. 100 g.

Dosage: 5 g per 100 kg bodyweight.

Presentation: Syringes containing 40 g.



PIPERAZINA PHARMAVET

Ascaricide, vermifuge, anthelmintic internal antiparasitic, for oral administration, indicated for use in horses, swine, rabbits and poultry (broilers and ornamental birds).

Composition: Piperazine dihydrochloride 100 g.

Dosage: 200 mg per kg bodyweight. For collective treatment: In food: 4 g per kg of food ration; In drinking water: 2 g per liter.

Presentation: 100 g containers.

ANTIPARASITICS

FOR ORAL USE



TRIFASIOVET 5%

Internal antiparasitic, for oral administration, indicated for the treatment of Fasciola hepatica in sheep.

Composition: Triclabendazole 5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 5 kg bodyweight.

Presentation: 1 L and 5 L bottles.



TRIFASIOVET 10%

Internal antiparasitic, for oral administration, indicated for the treatment of Fasciola hepatica in cattle.

Composition: Triclabendazole 10 g; Excipients q.s. 100 mL.

Dosage: 1.2 mL per 10 kg bodyweight.

Presentation: 1 L and 5 L bottles.



VETALBENDAZOL

Internal antiparasitic, for oral administration, with activity against egg, larval and adult stage of gastrointestinal and lung helminths and effective against adult flukes Fasciola hepatica, indicated for use in cattle.

Composition: Albendazole 10 g; Excipients q.s. 100 mL.

Dosage: Against lung and/or gastrointestinal nematodes: 1 mL per 20 kg bodyweight. Against Type II Ostertagia: 1 mL per 13 kg bodyweight. Against Fasciola Hepatica: 1 mL per 10 kg bodyweight.

Presentation: 250 mL, 1 L and 5 L bottles.

FOR EXTERNAL USE



BICHOFIN PLATA

Larvicide, cicatrizant, and bactericide cream with activity against myiasis, indicated for use in cattle, horses, swine and sheep.

Composition: Silver sulfadiazine 0.1 g; Dichlorvos 1.6 g; Piperonyl Butoxide 0.8 g; Cypermethrin 0,4 g; Aluminium powder 5 g; Excipients q.s. 100 g.

Dosage: Remove from the injured area as many larvae as possible and then cover it with Bichofin Plata.

Presentation: 500 g containers.



CIPERVET POUR ON

Insect repellent, insecticide and external antiparasitic for cutaneous administration, indicated for use in cattle, swine and horses.

Composition: Cypermethrin 5 g; Excipients q.s. 100 mL.

Dosage: Cattle: Lice and horn fly treatment 10 mL per animal up to 400 kg. Animals heavier than 400 kg: 20 mL per animal; Insecticide-Insect repellent: 30 mL per animal. Swine: Lice treatment 5 mL per animal. Insecticide-Insect repellent: 10 mL per animal. Horses: Lice treatment 10 mL per animal.

Presentation: 250 mL, 1 L and 5 L bottles.

ANTIPARASITICS

FOR EXTERNAL USE



CYPERTHION

External antiparasitic to be used in immersion baths, for cattle.

Composition: Cypermethrin 5 g; Ethion 15 g; Excipients q.s. 100 mL.

Dosage: Cattle (calves): (from 100 kg to 200 kg) 5 mL; Cattle (from 200 kg to 400 kg) 10 mL; Cattle (heavier than 400 kg) 20 mL (Maximum dose).

Presentation: 250 mL, 1 L and 5 L bottles.



PHARMATICK

Tickicide, external antiparasitic to be used in immersion baths, for cattle.

Composition: Amitraz 12.5 g; Excipients q.s. 100 mL.

Dosage: Footbath: One measure (equivalent to 2 liters of PHARMATICK and 10 kg of PHARMATICK STABILIZER.) per 1000 liters of fresh water or brackish water.

Replenishment and reinforcement rate: 2 measures of PHARMATICK every 1000 liters of added water.

Presentation: 2 bottles containing 1 L + 2 bags containing 5 kg of stabilizer each. 4 L container + 2 bags containing 10 kg of stabilizer each.



PHARMATICK 250

Tickicide, external antiparasitic to be used in immersion baths, for cattle.

Composition: Amitraz 25 g; Excipients q.s. 100 mL.

Dosage: Footbath: One measure (equivalent to 1 liter of PHARMATICK 250 and 4 kg of PHARMATICK 250 STABILIZER) per 1000 liters of fresh water or brackish water. Replenishment and reinforcement rate: 2 measures of PHARMATICK 250 every 1000 liters of added water.

Presentation: 2 bottles containing 1 L + 2 bags containing 4 kg of stabilizer each.

OTHER INJECTABLE PRODUCTS



BUTORFANOL PHARMAVET

Sedative, injectable analgesic for horses.

Composition: Butorphanol tartrate 1.458 g; Excipients q.s. 100 mL.

Dosage: For analgesia: 1 mL per 100 kg bodyweight; for sedation: 0.25 mL per 100 kg bodyweight.

Presentation: 10 mL vials.

OTHER INJECTABLE PRODUCTS



DEXAVET

Injetable anti-inflammatory for cattle, sheep, horses and swine indicated for the treatment of general inflammatory processes.

Composition: Dexamethasone sodium phosphate 0.2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 20 to 40 kg bodyweight.

Presentation: 10 mL and 50 mL vials.



DEXAVET DUO

Injetable anti-inflammatory for cattle, sheep, goats, horses and swine indicated for use as palliative therapy during general, immune and non-immune inflammatory processes.

Composition: Dexamethasone sodium phosphate 263.2 mg; Dexamethasone acetate monohydrate 345.9 mg; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 10 mL and 50 mL vials.



FLUNIXIN PHARMAVET

Non-steroidal anti-inflammatory agent, with analgesic and antipyretic activity, indicated for use in horses, cattle and swine.

Composition: Flunixin Meglumine 5 g; Excipients q.s. 100 mL.

Dosage: Horses: 1 mL per 45 kg bodyweight; Cattle: 2 mL per 45 kg bodyweight;

Calves: 2 to 3 mL per animal; Swine: 2 mL per 45 kg bodyweight.

Presentation: 10 mL and 50 mL vials.



FURODEX

Injectable solution for cattle and horses, indicated as diuretic for reduction of edemas and ascites, as coadjuvant for the elimination of accumulated tissular and cavitory liquid.

Composition: Furosemide 5 g; Dexamethasone sodium phosphate 0.2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 10 mL and 50 mL vials



RANIPHARM

Injectable anti-ulcer solution for the digestive tract indicated for use in horses.

Composition: Ranitidine hydrochloride 2 g; Excipients q.s. 100 mL.

Dosage: 6.5 mL per 100 kg bodyweight every 12 hours.

Presentation: 50 mL vials.

OTHER INJECTABLE PRODUCTS



XILAZINA PHARMAVET

Injectable sedative, myorelaxant, analgesic and anesthetic indicated for use in cattle and horses.

Composition: Xylazine hydrochloride 2 g; Excipients q.s. 100 mL.

Dosage: Alone or as premeditation: Cattle (intravenous injection): 0.15 to 0.5 mL per 100 kg bodyweight; (intramuscular injection): 0.5 to 1 mL per 100 kg bodyweight. Horses (intravenous injection): 2.5 to 5.5 mL per 100 kg bodyweight; (intramuscular injection): 5 to 10 mL per 100 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



YODURO DE SODIO PHARMAVET

Injectable antiactinomycotic indicated for the treatment of Actinobacillosis and Actinomycosis in cattle.

Composition: Sodium iodide 60 g; Excipients q.s. 100 mL.

Dosage: 10 mL per 100 kg bodyweight.

Presentation: 50 mL vials.

OTHER ORAL PRODUCTS



BLOCKTIM ANTIEMPASTE

Anti-bloat detergent, for oral administration, indicated for use in cattle as preventive and curative treatment against bloat (Ruminal tympany) caused by forage legumes in grazing pastures.

Composition: Non-ionic surfactant 80 g; Excipients q.s. 100 mL.

Dosage: 2.5 mL per 100 kg bodyweight.

Presentation: 20 L buckets.

OTHER PRODUCTS FOR EXTERNAL USE



CLORHEXIDINA PHARMAVET

Antiseptic, disinfectant and bactericide, indicated for topical use in horses, cattle, sheep and swine.

Composition: Chlorexidine digluconate 20% Solution 2.5 mL; Excipients q.s. 100 mL.

Presentation: 1 L bottles.

OTHER PRODUCTS FOR EXTERNAL USE



CREMA DE ORDEÑO BRONCE

Lubricating, cicatrizing and antiseptic cream for external use in cattle.

Composition: Vitamin A palmitate 100,000 I.U.; Benzalkonium chloride 0.5 g; Zinc stearate 1 g; Allantoin 0.5 g; Aloe vera gel 2 g; Excipients q.s. 100 g.

Presentation: 120 g; 250 g and 500 g containers.



PHARMA DESINFLAMANTE

Revulsive, antipruritic and skin anesthetic cream, for topical administration in the treatment of contusions, strains and sprains in horses.

Composition: Guaiacol 10 g; Camphor 10 g; Menthol 10 g; Gomenol 5 g; Eucalyptol 5 g; Amyl salicylate 7 g; Excipients q.s. 100 g.

Presentation: 120 g and 250 g containers.



PHARMAPIETIN

Antiseptic, cicatrizing and sanitizer solution to be used locally for prevention and treatment of foot-rot and other pathologies in the hoof of cattle, sheep and goats.

Composition: Glutaraldehyde 8 g; Copper Sulfate 10 g; Aluminium Sulfate 5 g; Zinc Sulfate 8 g; Benzalkonium Chloride 2 g; Excipients q.s. 100 g.

Presentation: Trigger spray bottles containing 1 L.

INJECTABLE HORMONALS



CICLOPROST

Hormonal injectable solution for cattle, horses and swine.

Composition: D-cloprostenol 0.0075 g; Excipients q.s. 100 mL.

Dosage: Cattle: 2 mL per animal; Horses and swine: 1 mL per animal.

Presentation: 20 mL vials.

INJECTABLE HORMONALS



ESTROL

Hormonal injectable solution indicated in the treatment of uterine infections in cattle.

Composition: Estradiol benzoate 0.23 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 100 kg bodyweight.

Presentation: 10 mL vials.



ESTROL 1

Hormonal injectable solution indicated as complement in estrus synchronization, and for the treatment of postpartum anestrous and silent estrus in cattle.

Composition: Estradiol benzoate 0.1 g; Excipients q.s. 100 mL.

Dosage: Orientative dosage: 1 to 2 mL per 100 kg; Estrus synchronization: Apply 2 mg when placing the intravaginal device, and 1 mL 24 hours after removing it.

Presentation: 100 mL vials.



OVULAN

Hormonal injectable solution indicated in cases of fertility disorders, ovulation induction and improvement of conception rate in cattle, horses and rabbits.

Composition: Buserelin Acetate 0.00042 g; Excipients q.s. 100 mL.

Dosage: Cattle (Follicular ovarian cysts, Anestrus, Acyclia): 5 mL per animal; Follicular Atresia, improvement of conception rates and postpartum fertility by ovulation induction: 2.5 mL per animal. Horses: (Ovarian cystic disorders, Anestrus, Improvement of conception rates and ovulation induction): 10 mL per animal. Rabbits (Ovulation induction in artificial insemination; Improvement of pregnancy rate): 0.2 mL per animal.

Presentation: 50 mL vials.



OXITOCINA PHARMAVET

Hormonal injectable solution indicated for use in cattle, sheep, goats, horses and swine.

Composition: Oxytocin 1000 I.U.; Excipients q.s. 100 mL.

Dosage: Cows and mares (Parturition induction): 7.5 to 10 mL per animal. Ewe, nanny and sow (Parturition induction): 3 to 5 mL per animal.

Presentation: 50 mL vials.

INTRAVAGINAL



REPRODUCTION 500

Intravaginal device impregnated with Progesterone indicated for estrus synchronization in cows and heifers.

Composition: Micronized Progesterone 0.5 g; Inert Silicone elastomer q.s. 1 device.

Dosage: 1 device per animal.

Presentation: Bag containing 10 devices and applicator.



ADE COMPLEX

Injectable vitamin solution indicated for use in cattle, sheep, swine, horses, rabbits and goats.

Composition: Vitamin A palmitate 50,000,000 I.U.; Vitamin D3 700,000 I.U.; Vitamin E 5,000 I.U.; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 to 100 kg bodyweight.

Presentation: 20 mL, 100 mL and 250 mL vials.



B 12 100.000 PHARMAVET

Injectable vitamin solution indicated for use in horses.

Composition: Vitamin B12 0.1 g; Excipients q.s. 100 mL.

Dosage: 2.5 to 5 mL.

Presentation: 10 mL and 50 mL vials.



CALCIOMAX MAGNESIADO

Calcifying, mineralizing and energizing injectable solution indicated for use in cattle and horses.

Composition: Calcium gluconate 20 g; Magnesium Chloride 8 g; Glucose 12 g; Caffeine 0.1 g; Excipients q.s. 100 mL.

Dosage: Cattle: 300 to 800 mL per animal; Horses: 400 to 800 mL per animal.

Presentation: 500 mL vials.



COBREMAX

Mineralizing injectable solution indicated in copper deficiency states in cattle.

Composition: Copper 2.5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 100 kg bodyweight.

Presentation: 500 mL vials.



GLUCOSA HIPERTÓNICA

Energizing injectable solution, with hepatoprotective activity, indicated for use in cattle and horses.

Composition: Glucose monohydrate 25 g; Excipients q.s. 100 mL.

Dosage: 1 to 2 mL per kg bodyweight.

Presentation: 500 mL vials.



HIERROVET 200

Injectable solution Indicated for prevention and treatment of iron-deficiency anemia in swine.

Composition: Iron dextran 52.7 g (Equivalent to 20 g of Iron); Excipients q.s. 100 mL.

Dosage: Preventive dose: 0.5 mL to 0.75 mL per animal; In Iron-deficiency treatment: 2.5 mL to 5 mL per animal.

Presentation: 20 mL, 50 mL, 100 mL and 250 mL vials.



MULTIVITAMIN

Calcifying, poly vitamin and energizer injectable solution, with immediate bioavailability, indicated for use in cattle, sheep, goats, horses and swine.

Composition: Vitamin A palmitate 1,000,000 I.U.; Vitamin E acetate 500 I.U.; Vitamin D3 700,000 I.U.; Manganese Gluconate 100 mg; Magnesium Gluconate 500 mg; Calcium Gluconate 800 mg; Copper Gluconate 150 mg; Zinc Gluconate 150 mg; Potassium Chloride 200 mg; Ammonium ferric citrate 350 mg; Sodium Glycerophosphate 2000 mg; Excipients q.s. 100 mL.

Dosage: Cattle and horses: 10 mL per animal; Calves and foals: 5 mL per animal; adult swines: 5 mL per animal; piglets and lambs: 1 mL per animal; sheep and goats: 3 mL per animal.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



PHOSFOVIT

Injectable phosphorus-calcium balance regulator indicated for use in cattle, sheep and swine.

Composition: Vitamin D3 (Cholecalciferol) 500,000 I.U.; Sodium Glycerophosphate 8 g; Tricalcium phosphate 15 g; Calcium Gluconate (monohydrate) 11.2 g; Excipients q.s. 100 mL.

Dosage: Cattle: Bulls and Cows 15 to 20 mL per animal; Young bulls and heifers: 10 to 15 mL per animal; Calves: 5 to 10 mL per animal; Adult sheep: 10 mL per animal; Lambs: 5 mL per animal; Adult swine: 10 mL per animal; Piglets: 5 mL per animal.

Presentation: 500 mL vials.



SELENMAX

Fertility, development and growth promoter, injectable nutritional supplement indicated for use in cattle, sheep, goats and swine.

Composition: Sodium Selenite (anhydrous) 0.45 g; Water-soluble vitamin E (acetate) 4000 I.U.; Sodium Glycerophosphate (anhydrous) 20 g; Excipients q.s. 100 mL.

Dosage: 2 mL per 50 kg bodyweight.

Presentation: 500 mL vials.




TRIMAGNESIO PHARMAVET

Injectable supplement for prevention of magnesium and zinc deficiency in cattle, sheep, goats and swine.


Composition: Magnesium Lactate 3.53 g; Magnesium Gluconate 15 g; Magnesium Chloride 5.7 g; Zinc Gluconate 0.6 g; Excipients q.s. 100 mL.

Dosage: 2.5 mL per 50 kg bodyweight; downer animals up to a total of 100 mL via slow intravenous injection.

Presentation: 500 mL vials.



      ***For Export Only***      



INJECTABLE ANTIPARASITICS



IVER 1

Broad-spectrum injectable endectocide, indicated for the treatment and control of lung and gastrointestinal parasites, as well as external parasites in cattle.

Composition: Ivermectin 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 10 mL, 50 mL, 100 mL, 250 mL and 500 mL vials.



IVER LONG L.A.

Long-acting broad-spectrum injectable endectocide indicated for use in cattle, sheep, goats, swine and camelids.

Composition: Ivermectin 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



IVER LONG L.A. 3,15 %

Long-acting injectable endectocide indicated for use in cattle and sheep.

Composition: Ivermectin 3.15 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



IVER 315 ADE

Internal and external antiparasitic associated with vitamins indicated for use in cattle.

Composition: Ivermectin 3.15 g; Vitamin A palmitate 5,000,000 I.U.; Vitamin D3 700,000 I.U.; Vitamin E acetate 2,500 I.U.; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.



DORAMECTINA PHARMAVET

Internal and external antiparasitic indicated for use in cattle, sheep and swine. Tickicide, with activity against scabies, sucking lice and myasis.

Composition: Doramectina 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 50 kg bodyweight. Swine: 1 mL per 33 kg bodyweight.

Presentation: 50 mL, 100 mL, 250 mL and 500 mL vials.

INJECTABLE ANTIBIOTICS



ENROVET L.A.

Long-acting broad-spectrum injectable antibiotic indicated for use in swine.

Composition: Enrofloxacin 3.75 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 5 kg bodyweight every 5 days.

Presentation: 50 mL, 100 mL and 250 mL vials.



SUPER ENROVET L.A.

Long-acting broad-spectrum injectable antibiotic indicated for use in cattle and swine.

Composition: Enrofloxacin 9.37 g; Excipients q.s. 100 mL.

Dosage: 2 mL per 25 kg bodyweight every 5 days.

Presentation: 50 mL, 100 mL and 250 mL vials.

VITAMIN SOLUTIONS - MINERALIZING SOLUTIONS - ENERGIZING SOLUTIONS




NANDRO PLUS ADE

Injectable anabolic solution, with vitamins, indicated as growth promoter in cattle, swine and sheep.


Composition: Nandrolone phenylpropionate 1,00 gr.; Vitamin A palmitate 25.000.000 I.U.; Vitamin E acetate 5.000 I.U.; Vitamin D3 700.000 I.U.; Excipients q.s. 100 mL.

Dosage: Cattle: 1 mL per 50 kg bodyweight (maximum dose:15 mL). Swine and sheep: 1 mL per 10 Kg bodyweight.

Presentation: 20 mL, 50 mL, 100 mL, 250 mL and 500 mL vials.



Small Animals



INJECTABLE ANTIBIOTICS



AMOXICILINA PHARMAVET

Broad-spectrum injectable antibiotic for cats and dogs.

Composition: Amoxicillin base 15 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 20 mL, 100 mL and 250 mL vials.



CEFALEXINA PHARMAVET

Broad-spectrum injectable antibiotic for cats and dogs.

Composition: Cephalexin monohydrate 18.5 g; Excipients q.s. 100 mL.

Dosage: Dogs: 0.25 mL to 3 mL per animal; Cats: 0.25 mL per animal.

Presentation: 20 mL, 100 mL and 250 mL vials.



CEFTIOFUR PHARMAVET

Broad-spectrum injectable antibiotic for dogs.

Composition: Ceftiofur hydrochloride 5 g; Excipients q.s. 100 mL.

Dosage: 0.2 mL per 5 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



ENROVET

Broad-spectrum injectable antibiotic for cats and dogs.

Composition: Enrofloxacin 5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 100 mL and 250 mL vials.



PENICIL ESTREPTO

Broad-spectrum injectable antibiotic for dogs.

Composition (Powder): Penicillin G sodium; Penicillin G benzathine; Dihydrostreptomycin sulfate.

Composition (Solvent): Lidocaine hydrochloride 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 1,200,000 I.U. , 2,400,000 I.U. and 5,000,000 I.U. vials.

INJECTABLE ANTIBIOTICS



PENICIL ESTREPTO LPU

Broad-spectrum injectable antibiotic for cats and dogs.

Composition: Penicillin G procaine 20,000,000 I.U.; Streptomycin sulfate 20 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



PENICIL ESTREPTO PLUS

Broad-spectrum injectable antibiotic, for deep intramuscular administration in dogs.

Composition (Powder): Penicillin G sodium; Penicillin G benzathine; Dihydrostreptomycin sulfate; Dipyrrone.

Composition (Solvent): Lidocaine hydrochloride 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 5,000,000 I.U. and 10,000,000 I.U. vials.



PHARMAPRIM

Broad-spectrum injectable antibiotic for cats and dogs

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 100 mL and 250 mL vials.



PHARMAPRIM L.A.

Broad-spectrum injectable antibiotic for cats and dogs.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 50 mL, 100 mL and 250 mL vials.

FOR ORAL USE



AMOXICILINA 250 COMPRIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Amoxicillin trihydrate 250 mg; Excipients q.s. 1 tablet.

Dosage: 1 tablet per 10 kg bodyweight.

Presentation: Box containing 12 blister packs with 8 tablets.

ANTIBIOTICS

FOR ORAL USE



AMOXICILINA 500 COMPRIMIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Amoxicillin trihydrate 500 mg; Excipients q.s. 1 tablet.

Dosage: 1 tablet per 20 kg bodyweight.

Presentation: Box containing 12 blister packs with 8 tablets.



CÁPSULAS x 4

Broad-spectrum antibiotic, with Vitamin C, for oral administration in cats and dogs.

Composition: Oxytetracycline hydrochloride 250 mg; Vitamin C 125 mg; Papain 20 mg; Vitamin E 25 mg; Excipients q.s. 1 capsule.

Dosage: 1 capsule per 10 kg to 15 kg bodyweight.

Presentation: Box containing 24 blister packs with 10 capsules.



CEFALEXINA 300 COMPRIMIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Cephalexin monohydrate 300 mg; Excipients q.s. 1 tablet.

Dosage: 1 tablet per 10 kg bodyweight.

Presentation: Box containing 12 blister packs with 8 tablets.



CEFALEXINA 600 COMPRIMIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Cephalexin monohydrate 600 mg; Excipients q.s. 1 tablet

Dosage: 1 tablet per 20 kg bodyweight.

Presentation: Box containing 12 blister packs with 8 tablets.



ENROFLOXACINA 50 COMPRIMIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Enrofloxacin 50 mg; Excipients q.s. 1 tablet

Dosage: 1 tablet per 10 kg bodyweight.

Presentation: Box containing 10 blister packs with 10 tablets.

ANTIBIOTICS

FOR ORAL USE



ENROFLOXACINA 100 COMPRIMIDOS PHARMAVET

Broad-spectrum antibiotic for oral administration in cats and dogs.

Composition: Enrofloxacin 100 mg; Excipients q.s. 1 tablet

Dosage: 1 tablet per 20 kg bodyweight.

Presentation: Box containing 10 blister packs with 10 tablets.



ENROVET ORAL

Broad-spectrum oral antibiotic, for cats and dogs.

Composition: Enrofloxacin 10 g; Excipients q.s. 100 mL.

Dosage: In drinking water: 0.5 mL per liter. Oral Dose: 0.5 mL per 10 kg bodyweight.

Presentation: 1 L bottles.



OXIPHARM VITAMINADA

Chemotherapeutic, with vitamins, for use in dogs.

Composition: Oxytetracycline hydrochloride 6 g; Neomycin Sulfate 6 g; Vitamin A (acetate) 250,000 I.U.; Vitamin C 1 g; Vitamin D3 40,000 I.U.; Vitamin E (acetate) 200 I.U.; Excipients q.s. 100 g.

Dosage: 1 g per 3 kg bodyweight.

Presentation: 100 g containers.



TRISULFAVET MULTIVITAMINADO

Chemotherapeutic, anticomocidial, with vitamins, indicated for use in dogs.

Composition: Sulfadimethoxine 25 g; Sulfadimidine 25 g, Sulfaquinoxaline 25 g, Neomycin Sulfate 10 g, Vitamin A (acetate) 250,000 I.U.; Vitamin K3 1 g; Excipients q.s. 100 g

Dosage: Initial dose: 120 mg per kg bodyweight. Maintenance dose: 60 to 80 mg per kg bodyweight.

Presentation: 100 g containers.

FOR EXTERNAL USE



PHARMAPRIM GEL OFTÁLMICO

Collyrium, chemotherapeutic, indicated for use in cats and dogs.

Composition: Sulfadimidine 25 g; Trimethoprim 5 g; Vitamin A 250,000 I.U.; Phenylephrine 0.05 g; Lidocaine hydrochloride 1 g; Bromhexine 0.1 g; Gential violet 0.1 g; Benzalkonium chloride 0.005 g; Excipients q.s. 100 mL

Dosage: 1 mL per application.

Presentation: Trigger spray bottles containing 200 mL.

ANTIBIOTICS

FOR EXTERNAL USE



PHARMAPRIM GEL ÓTICO

Chemotherapeutic for external use, indicated for the treatment of external otitis in cats and dogs.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Clotrimazole 1 g; Lidocaine 2 g; Excipients q.s. 100 mL

Dosage: 1 mL per application.

Presentation: Syringes containing 11 g.

ANTI-DIARRHEAL

INJECTABLE ANTI-DIARRHEAL ANTIBIOTICS



LOPERICLINA 10

Broad-spectrum antibiotic, indicated for the control and symptomatic relieve of unspecified diarrhea and chronic diarrhea associated to intestinal inflammation in dogs.

Composition: Oxytetracycline hydrochloride 10 g; Loperamide hydrochloride 0.04 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 100 mL vials.



PHARMAPRIM ANTIDIARREICO

Broad-spectrum antibiotic, antidiarrheal for cats and dogs.

Composition: Sulfadimidine 20 g; Trimethoprim 4 g; Loperamide hydrochloride 0.04 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 to 20 kg bodyweight.

Presentation: 100 mL and 250 mL vials.

ORAL ANTI-DIARRHEAL ANTIBIOTICS



PHARMAPRIM ANTIDIARREICO ORAL

Oral Anti-Diarrheal Antibiotic, bactericide, for cats and dogs.

Composition: Sulfamethazine sodium 2.5 g; Trimethoprim 0.5 g; Neomycin Sulfate 0.5 g; Loperamide 0.008 g; Excipients q.s. 100 mL.

Dosage: 5 to 30 mL per animal per day.

Presentation: 100 mL, 500 mL and 1 L bottles.

ANTIPARASITICS

FOR ORAL USE



ANTIPARASITARIO COMPRIMIDOS PHARMAVET

Broad-spectrum internal antiparasitic, for oral administration, for the control of gastrointestinal parasitosis caused by nematodes and cestodes in cats and dogs.

Composition: Febendazole 450 mg; Praziquantel 50 mg ; Pyrantel Pamoate 100 mg; Excipients q.s. 1 tablet

Dosage: 1 tablet per 10 kg bodyweight.

Presentation: Box containing 12 blister packs with 8 tablets.



ANTIPARASITARIO GOTAS PHARMAVET

Broad-spectrum internal antiparasitic, for oral administration, for the control of gastrointestinal parasitosis in cats and dogs.

Composition: Levamisole hydrochloride 1 g; Praziquantel 0.3332 mg ; Pyrantel Pamoate 0.3332 g; Homatropine methylbromide 0.01 g; Excipients q.s. 100 mL

Dosage: 1 mL per kg bodyweight.

Presentation: 15 mL dropper bottle.



PIPERAZINA PHARMAVET

Ascaricide, vermifuge, anthelmintic internal antiparasitic, for oral administration, indicated for use in cats and dogs.

Composition: Piperazine dihydrochloride 100 g.

Dosage: 200 mg per kg bodyweight. In puppies weighing less than 2.5 kg: Do not administrate more than 150 mg per animal.

Presentation: 100 g containers.

FOR EXTERNAL USE



ANTIPARASITARIO EXTERNO PHARMA-AGRO

External antiparasitic indicated for the control and treatment of infections caused by fleas, lice and ticks in cats and dogs.

Composition: Propoxur 2 g; Excipients q.s. 100 g.

Presentation: 100 g containers.



PHARMAPULG PLUS

External antiparasitic indicated for the control and treatment of infections caused by fleas and ticks in dogs.

Composition: Imidacloprid 10 g; Flumethrin 1 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 0.5 mL, 1.5 mL, 3 mL, and 5 mL pipettes.

ANTIPARASITICS

FOR EXTERNAL USE



PHARMATICK PET'S

External antiparasitic for the treatment and control of canine scabies.

Composition: Amitraz 12.5 g; Excipients q.s. 100 mL.

Dosage: 2 mL in 1 liter of water.

Presentation: 20 mL containers.



SHAMPOO ANTIPARASITARIO PHARMA-AGRO

Shampoo indicated for the control and treatment against fleas, lice and ticks in cats and dogs.

Composition: Propoxur 1 g; Excipients q.s. 100 mL.

Dosage: In cats and small dogs weighing less than 12 kg: 15 mL. Medium sized dogs between 12 kg and 34 kg: 30 mL. Large sized dogs, over 34 kg: 45 mL.

Presentation: 250 mL containers.

OTHER INJECTABLE PRODUCTS



ACEPROMACINA PHARMAVET

Injectable major tranquilizer, neuroleptic, indicated for cats and dogs.

Composition: Acepromazine maleate 1 g; Excipients q.s. 100 mL.

Dosage (as tranquilizer, for diagnostic studies and long trips): Dogs: 0.055 mL to 0.11 mL per kg bodyweight. Cats: 0.11 mL to 0.22 mL per kg bodyweight.

Dosage (as pre-anesthetic): 0.011 mL/kg bodyweight.

Presentation: 50 mL vials.



ATROPINA PHARMAVET

Injectable parasympatholytic, anticholinergic indicated for cats and dogs.

Composition: Atropine sulfate 100 mg; Excipients q.s. 100 mL.

Dosage (as surgical premedication or antispasmodic): 0.4 mL per 10 kg bodyweight

Dosage (In organophosphate and carbamates poisoning treatment): 2 to 5 mL per 10 kg bodyweight.

Presentation: 10 mL vials.

OTHER INJECTABLE PRODUCTS



BUTORFANOL PHARMAVET

Sedative, injectable analgesic for cats and dogs.

Composition: Butorphanol tartrate 1.458 g; Excipients q.s. 100 mL.

Dosage: For analgesia and premedication: 0.04 mL per kg bodyweight and 0.01 mL per kg bodyweight; for sedation: 0.04 mL per kg bodyweight.

Presentation: 10 mL vials.



DEXAVET

Injectable anti-inflammatory for cats and dogs indicated for the treatment of general inflammatory processes.

Composition: Dexamethasone sodium phosphate 0.2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 20 to 40 kg bodyweight.

Presentation: 10 mL and 50 mL vials.



FLUNIXIN PHARMAVET

Non-steroidal anti-inflammatory agent, with analgesic and antipyretic activity, indicated for dogs.

Composition: Flunixin Meglumine 5 g; Excipients q.s. 100 mL.

Dosage: 0.22 to 0.40 mL per 10 kg bodyweight.

Presentation: 10 mL and 50 mL vials.



METOCLOPRAMIDA PHARMAVET

Injectable gastroduodenal normokinetic for cats and dogs, indicated for vomiting, gastritis, stenosis, pyloric spasms, drug intolerance and gastric stasis.

Composition: Metoclopramide hydrochloride 0.5 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight.

Presentation: 20 mL and 100 mL vials.



RANIPHARM

Injectable anti-ulcer solution for the digestive tract indicated for use in cats and dogs.

Composition: Ranitidine hydrochloride 2 g; Excipients q.s. 100 mL.

Dosage: 0.25 mL to 1 mL per 10 kg bodyweight.

Presentation: 50 mL vials.

OTHER INJECTABLE PRODUCTS



XILAZINA PHARMAVET

Injectable sedative, myorelaxant, analgesic and anesthetic indicated for use in cats and dogs.

Composition: Xylazine hydrochloride 2 g; Excipients q.s. 100 mL.

Dosage: Alone or as premeditation: Dogs (intravenous administration): 0.25 to 0.5 mL per 10 kg bodyweight; (subcutaneous or intramuscular administration): 0.5 to 1 mL per 10 kg bodyweight. Cats: (intravenous administration): 0.025 to 0.05 mL per kg bodyweight; (subcutaneous or intramuscular administration): 0.05 to 0.1 mL per kg bodyweight.

Presentation: 20 mL and 100 mL vials.

OTHER INJECTABLE PRODUCTS



ACEPROMACINA GOTAS PHARMAVET

Major tranquilizer, neuroleptic, for oral administration, indicated for cats and dogs.

Composition: Acepromazine maleate 1 g; Excipients q.s. 100 mL.

Dosage: Dogs: 1 to 3 drops per kg bodyweight. Cats: 2 to 3 drops.

Presentation: 15 mL dropper bottle.



ARTROFIN

Oral chondroprotector for cats and dogs, indicated in cases of arthritis, arthrosis and degenerative processes of articular cartilage.

Composition: Glucosamine sulfate 500 mg ; Chondroitin sulfate 100 mg; Manganese gluconate 10 mg; Excipients q.s. 1 tablet.

Dosage: Dogs weighing less than 15 kg: 1/2 tablet. Dogs weighing more than 15 kg: 1 tablet. Cats weighing less than 5 kg: 1/4 tablet. Cats weighing more than 5 kg: 1/2 tablet.

Presentation: Box containing 16 blister packs with 6 tablets.



PREDNISOLONA PHARMAVET

Oral medication for inflammation treatment / Steroidal anti-inflammatory agent indicated for use in cats and dogs.

Composition: Prednisolone 20 mg ; Excipients q.s. 1 tablet.

Dosage: Substitution therapy: 0.1 to 0.2 mg per kg bodyweight. Allergic and inflammatory processes: Dogs: Starting with 0.5 to 1 mg per kg bodyweight during the first 5 to 7 days and then every other day, gradually diminishing the doses. Cats: Starting with 1 to 2 mg per kg bodyweight during the first 5 to 7 days and then every other day, gradually diminishing the doses.

Presentation: Blister pack containing 10 tablets.

OTHER PRODUCTS FOR EXTERNAL USE



CLORHEXIDINA PHARMAVET

Antiseptic, disinfectant and bactericide, indicated for topical use in cats and dogs.

Composition: Chlorexidine digluconate 20% Solution 2.5 mL; Excipients q.s. 100 mL.

Presentation: 1 L bottles.



HONGOFIN

Antifungal, antipruritic and anti-inflammatory agent, indicated for topical use in cats and dogs.

Composition: Clotrimazole 1 g; Betamethasone 0.05 g; Excipients q.s. 100 g.

Presentation: 20 g tube.



IODOPHAR PVP

Disinfectant and antiseptic solution, indicated for external use in cats and dogs and for cleaning of operating rooms and surgical equipment.

Composition: Povidone-iodine 10 g; Excipients q.s. 100 mL.

Presentation: 80 mL, 1000 mL, and 5000 mL containers.



SHAMPOO ANTISEBORREICO PHARMAVET

Shampoo for external use, recommended for the treatment of seborrheic dermatitis, sebaceous adenitis, ichthyosis, hygiene and cleanliness of skin and hair in cats and dogs.

Composition: Colloidal Sulfur 2 g; Acetylsalicylic Acid 2 g; Diphenhydramine 2 g; Coal Tar Solution 5 g; Excipients q.s. 100 mL.

Dosage: In cats and small dogs weighing less than 12 kg: 15 mL. Medium sized dogs between 12 kg and 34 kg: 30 mL. Large sized dogs, over 34 kg: 45 mL.

Presentation: 250 mL containers.



SHAMPOO ANTISÉPTICO PHARMAVET

Shampoo for external use, indicated for skin antiseptics in cats and dogs.

Composition: Benzoyl Peroxide 3 g, Acetylsalicylic Acid 2 g; Diphenhydramine 2 g; Excipients q.s. 100 mL.

Dosage: In cats and small dogs weighing less than 12 kg: 15 mL. Medium sized dogs between 12 kg and 34 kg: 30 mL. Large sized dogs, over 34 kg: 45 mL.

Presentation: 250 mL containers.

INJECTABLE HORMONALS



OXITOCINA PHARMAVET

Hormonal injectable solution indicated for use in cats and dogs.

Composition: Oxytocin 1000 I.U.; Excipients q.s. 100 mL.

Dosage (Parturition induction): Dogs: 0.5 to 2.5 mL per animal. Cats: 0.5 to 1 mL per animal. Dosage (Milk let down stimulation): Dogs: 0.2 to 1 mL per animal. Cats: 0.1 to 1 mL per animal. Dosage (Labor acceleration in dogs): 0.1 to 0.5 mL per animal. Dosage (First-stage uterine inertia): 0.5 to 2 mL per animal. Dosage (Manual reduction of uterine prolapse): 0.5 to 2 mL per animal.

Presentation: 50 mL vials.



SIN CEL INYECTABLE

Injectable contraceptive indicated for use in cats and dogs.

Composition: Chlormadinone acetate 2 g; Excipients q.s. 100 mL.

Dosage: 1 mL per 10 kg bodyweight. Sexual cycle disorders, nymphomania, pseudopregnancy, hypersexuality in male: 1.5 mL in total.

Presentation: 5 mL vials.

VITAMIN SOLUTIONS - MINERALIZING SOLUTIONS - ENERGIZING SOLUTIONS



ADE COMPLEX

Injectable vitamin solution indicated for use in dogs.

Composition: Vitamin A palmitate 50,000,000 I.U.; Vitamin D3 700,000 I.U.; Vitamin E 5,000 I.U.; Excipients q.s. 100 mL.

Dosage: Puppies: Preventive dose: 0.25 mL; Therapeutic dose: 0.5 mL. Adult dogs: Preventive dose: 0.3 mL; Therapeutic dose: 0.5 mL to 1 mL.

Presentation: 100 mL and 250 mL vials.



CALCIOMAX MAGNESIADO

Calcifying, mineralizing and energizing injectable solution indicated for use in cats and dogs.

Composition: Calcium gluconate 20 g; Magnesium Chloride 8 g; Glucose 12 g; Caffeine 0.1 g; Excipients q.s. 100 mL.

Dosage: Dogs: 5 to 30 mL per animal; Cats: 1 to 10 mL per animal.

Presentation: 500 mL vials.



B 12 100.000 PHARMAVET

Injectable vitamin solution indicated for use in cats and dogs.

Composition: Vitamin B12 0.1 g; Excipients q.s. 100 mL.

Dosage: 0.2 to 0.5 mL.

Presentation: 10 mL and 50 mL vials.



Business Management

Cullen 966 • S2008HVJ Rosario,
Santa Fe, Argentina
Tel/Fax: (+54 0341) 4568410 / 4574326
info@pharmavet.com.ar
www.pharmavet.com.ar

Laboratory

Campbell 869 • S2008HVJ Rosario,
Santa Fe, Argentina
Tel/Fax: (+54 0341) 4584172
dtecnica@pharmavet.com.ar
www.pharmavet.com.ar